Nº 48664

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Dat	e of filing in State Engineer's Office DEC 2 7 1984
Ret	urned to applicant for correction
Cor	rected application filed
Ma	p filed
	The applicant Lacana Gold Inc.
	\cdot
	P.O. Box 11305 Street and No. or P.O. Box No. City or Town
	Nevada , hereby make application for permission to appropriate the public State and Zip Code No.
	ers of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
tion	; if a copartnership or association, give names of members.) November 17, 1970, State of Nevada
1.	The source of the proposed appropriation is underground Name of stream, lake, spring, underground or other source
2.	The amount of water applied for is 1.34 cfs second-feet One second-foot equals 448.83 gals, per min.
	(a) If stored in reservoir give number of acre-feet
3.	The water to be used for mining, milling, and domestic Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
	If use is for:
	(a) Irrigation, state number of acres to be irrigated
	(b) Stockwater, state number and kinds of animals to be watered
	(c) Other use (describe fully under "No. 12, Remarks" See No. 12
	(d) Power:
	(1) Horsepower developed
	(2) Point of return of water to stream
5.	The water is to be diverted from its source at the following point within the SW4 SW4 Section 31.
	T.9N., R.35E., M.D.B.&M., or at a point from which the SE corner of Section 36,
	T.9N., R.35E., M.D.B.&M., or at a point from which the SE corner of Section 36, survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. T.9N., R.34E., M.D.B.&M. bears South 46 15' West, 1,100 feet.
6	Place of use Sections 25, 26, 27, 34, 35, and 36 of T.9N., R.34E., Sections 28
u.	through 33 of T.9N., R.35E., Sections 1, 2, 3, 11, 12, and 13 of T.8N., R.34E.,
	and Sections 4 through 9, and 18 of T.8N., R.35E., M.D.B.&M.
7	Use will begin shout January 1 and and shout December 31 of each year
_	Use will begin about. January 1 and end about. December 31 north and Day, of each year. Month and Day Month and Day
8.	
	specifications of your diversion or storage works.) well, pump, storage tank, and pipeline State manner in which water is to be diverted, i.e. diversion structure, ditches and
	flumes, drillicd well with pump and motor, etc.
9.	Estimated cost of works \$80,000.00

	2 years If well completed, descri	ibe works.	
11. Estimated time required to complete the app	olication of water to beneficial use	5 years	
2. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.			
Annual consumptive use of Well #5 in combination with Wells 1 through 4 is not			
to exceed 1.34 cfs (316,112,764	4 gallons per year). Water	to be used for a	
mining-milling complex.			
•••••••••••••••••••••••••••••••••••••••	By s/John V. A. Sharp		
Compared bc/bl js/bc	Reno, NV 89501	, 333 Flint Street	
Protested			
APPROV	AL OF STATE ENGINEER		
This permit is issued subject amount of water herein granted is of water right obtained under this permactually placed to beneficial use. for a reasonable lowering of the statistic at two (2) inch opening for measurement.	only a temporary allowance an mit will be dependent upon t It is also understood that catic water level. This well	d that the final the amount of water this right must allow shall be equipped	
valve must be installed and maintain installed and maintained in the discourate measurements must be kept of meter must be installed before any completion of Work is filed. This so state Engineer, pursuant to NRS 534 the use of the water herein granted This Permit does not extend the public, private or corporate lands. No perforations shall be put infeet. (CONTINUED ON Page 2) The amount of water to be appropriated shall be	ned to prevent waste. A tot scharge pipeline near the poi of water placed to beneficia use of water begins, or befo cource is located within an a 1.030. The State retains the lat any and all times. he permittee the right of ing on the production casing from	alizing meter must be nt of diversion and all use. The totalizing ore the Proof of area designated by the right to regulate aress and egress on a ground level to 100	
installed and maintained in the disc accurate measurements must be kept of meter must be installed before any of Completion of Work is filed. This so State Engineer, pursuant to NRS 534 the use of the water herein granted This Permit does not extend the public, private or corporate lands. No perforations shall be put in feet. (CONTINUED ON Page 2)	ned to prevent waste. A tot scharge pipeline near the poi of water placed to beneficia use of water begins, or befo source is located within an a 1.030. The State retains the lat any and all times. he permittee the right of ing on the production casing from the limited to the amount which can be	alizing meter must be nt of diversion and all use. The totalizing ore the Proof of area designated by the right to regulate aress and egress on a ground level to 100 applied to beneficial use, and	
installed and maintained in the disc accurate measurements must be kept of meter must be installed before any of Completion of Work is filed. This so State Engineer, pursuant to NRS 534 the use of the water herein granted This Permit does not extend the public, private or corporate lands. No perforations shall be put in feet. (CONTINUED ON Page 2) The amount of water to be appropriated shall be	ned to prevent waste. A tot scharge pipeline near the poil of water placed to beneficial use of water begins, or before the source is located within an allowable. The State retains the lat any and all times. The permittee the right of ingument the production casing from the limited to the amount which can be caused from the cubic feet per second, but	alizing meter must be nt of diversion and all use. The totalizing ore the Proof of area designated by the right to regulate aress and egress on a ground level to 100 applied to beneficial use, and not to exceed 315.42	
installed and maintained in the disc accurate measurements must be kept of meter must be installed before any of Completion of Work is filed. This so State Engineer, pursuant to NRS 534 the use of the water herein granted This Permit does not extend the public, private or corporate lands. No perforations shall be put in feet. (CONTINUED ON Page 2) The amount of water to be appropriated shall be not to exceed	ned to prevent waste. A tot scharge pipeline near the poi of water placed to beneficial use of water begins, or before ource is located within an at 1.030. The State retains the lat any and all times. The permittee the right of ingument the production casing from the production casing from the limited to the amount which can be calculated as the limited to the amount which can be calculated as the limited to the amount which can be calculated as the limited to the amount which can be calculated as the limited to the amount which can be calculated as the limited to the amount which can be calculated as the limited to the amount which can be calculated as the limited to the amount which can be calculated as the limited to the amount which can be calculated as the limited to the amount which can be calculated as the limited to the amount which can be calculated as the limited to the amount which can be calculated as the limited as the limit	alizing meter must be nt of diversion and all use. The totalizing the Proof of the designated by the right to regulate the gress and egress on a ground level to 100 applied to beneficial use, and not to exceed 315.42	
installed and maintained in the disc accurate measurements must be kept of meter must be installed before any of Completion of Work is filed. This so State Engineer, pursuant to NRS 534 the use of the water herein granted This Permit does not extend the public, private or corporate lands. No perforations shall be put in feet. (CONTINUED ON Page 2) The amount of water to be appropriated shall be not to exceed	ned to prevent waste. A tot scharge pipeline near the poil of water placed to beneficial use of water begins, or before ource is located within an alerona. The State retains the lat any and all times. The permittee the right of ingument the production casing from the production casing from the production casing from the production casing from the cubic feet per second, but the second of the completed on or before	alizing meter must be nt of diversion and all use. The totalizing ore the Proof of area designated by the right to regulate aress and egress on a ground level to 100 applied to beneficial use, and not to exceed 315.42 May 15, 1987	
installed and maintained in the disc accurate measurements must be kept of meter must be installed before any of Completion of Work is filed. This so State Engineer, pursuant to NRS 534 the use of the water herein granted This Permit does not extend the public, private or corporate lands. No perforations shall be put in feet. (CONTINUED ON Page 2) The amount of water to be appropriated shall be not to exceed 1.34 million gallons annually.	ned to prevent waste. A totscharge pipeline near the point of water placed to beneficial use of water begins, or before ource is located within an alternative is located within an alternative is at any and all times. The permittee the right of ingument in the production casing from the production casing from the production casing from the cubic feet per second, but the can be completed on or before the completed on	alizing meter must be nt of diversion and all use. The totalizing the Proof of the Proof of the designated by the right to regulate the ress and egress on a ground level to 100 applied to beneficial use, and not to exceed 315.42 May 15, 1987 June 15, 1987	
installed and maintained in the disc accurate measurements must be kept of meter must be installed before any of Completion of Work is filed. This so State Engineer, pursuant to NRS 534 the use of the water herein granted This Permit does not extend the public, private or corporate lands. No perforations shall be put in feet. (CONTINUED ON Page 2) The amount of water to be appropriated shall be not to exceed	ned to prevent waste. A tot scharge pipeline near the poil of water placed to beneficial use of water begins, or before to be source is located within an allocated within an allocated at any and all times. The permittee the right of ingument the production casing from the production casing from the production casing from the cubic feet per second, but the second b	May 15, 1987 May 15, 1989 Alizing meter must be not of diversion and luse. The totalizing ore the Proof of area designated by the right to regulate aress and egress on a ground level to 100 May 15, 1987 June 15, 1989	
installed and maintained in the disc accurate measurements must be kept of meter must be installed before any of Completion of Work is filed. This so State Engineer, pursuant to NRS 534 the use of the water herein granted This Permit does not extend the public, private or corporate lands. No perforations shall be put in feet. (CONTINUED ON Page 2) The amount of water to be appropriated shall be not to exceed	ned to prevent waste. A tot scharge pipeline near the poi of water placed to beneficial use of water begins, or before use of water begins, or before the school of the state of within an allowance is located within an allowance is located within an allowance is located within an allowance and all times. The permittee the right of inguitable in the production casing from the production casing from the limited to the amount which can be completed on or before the shall be filed on or before the shall be fil	alizing meter must be nt of diversion and all use. The totalizing the Proof of the Proof of the designated by the right to regulate the ress and egress on a ground level to 100 applied to beneficial use, and not to exceed 315.42 May 15, 1987 June 15, 1989 June 15, 1989	
installed and maintained in the disc accurate measurements must be kept of meter must be installed before any of Completion of Work is filed. This so State Engineer, pursuant to NRS 534 the use of the water herein granted This Permit does not extend the public, private or corporate lands. No perforations shall be put in feet. (CONTINUED ON Page 2) The amount of water to be appropriated shall be not to exceed	ned to prevent waste. A tot scharge pipeline near the poi of water placed to beneficia use of water begins, or befo cource is located within an a 1.030. The State retains the lat any and all times. he permittee the right of ing on the production casing from the limited to the amount which can be cubic feet per second. But cubic feet per second. before e shall be filed on or before e filed on or before	alizing meter must be nt of diversion and all use. The totalizing ore the Proof of the rea designated by the right to regulate the ress and egress on a ground level to 100 applied to beneficial use, and not to exceed 315.42 May 15, 1987 June 15, 1989 June 15, 1989 June 15, 1989	
installed and maintained in the disc accurate measurements must be kept of meter must be installed before any of Completion of Work is filed. This so State Engineer, pursuant to NRS 534 the use of the water herein granted This Permit does not extend the public, private or corporate lands. No perforations shall be put in feet. (CONTINUED ON Page 2) The amount of water to be appropriated shall be not to exceed	ned to prevent waste. A totscharge pipeline near the point of water placed to beneficial use of water placed to beneficial use of water begins, or before the source is located within an allocated within allocated within an allocated within all	May 15, 1987 June 15, 1989 June 15, 1989 June 15, 1989 PETER G. MORROS mit of diversion and diversion and diversion and diversion and diverse must be totalizing or the Proof of area designated by the regulate diversion and ground level to 100 May 15, 1987 June 15, 1989	
installed and maintained in the discaccurate measurements must be kept of meter must be installed before any completion of Work is filed. This so state Engineer, pursuant to NRS 534 the use of the water herein granted. This Permit does not extend the public, private or corporate lands. No perforations shall be put infect. (CONTINUED ON Page 2) The amount of water to be appropriated shall be not to exceed	ned to prevent waste. A totscharge pipeline near the point of water placed to beneficial use of water placed to beneficial use of water begins, or before the source is located within an allocated within allocated	alizing meter must be nt of diversion and all use. The totalizing are the Proof of the readesignated by the right to regulate aress and egress on a ground level to 100 applied to beneficial use, and not to exceed 315.42 May 15, 1987 June 15, 1989 June 15, 1989 PETER G. MORROS and of the seal of the se	

Page 2

(PERMIT TERMS CONTINUED)

The total combined duty of water under Permits 47025, 47961, 48163, 48164, 48660, 48661, 48662, 48663 and 48664 shall not exceed 315.42 million gallons annually.

48664

This permit is issued under the preferred use provisions of NRS Chapter 534. The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the ground water basin.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

